

# Professor David Henson

## Publications (1977 – 2016)

### TEXTS

Henson, D. B. (1982) *Optometric Instrumentation*, Butterworths, London.

Henson, D. B. and Dharamshi, B. (1982) Binocular oculomotor adaptation to induced incomitant deviations. In: *Functional Basis of Oculomotor Disorders*. Editors G. Lennerstrand, D. E. Zee and E. L. Keller, Pergamon Press, London.

Henson, D. B. (1984) Direction specific vergence adaptation. In: *Sensory Experience, Adaptation and Perception*. Editors L. Spillman and B. Wooten, Lawrence Erlbaum, Hillsdale, New Jersey.

Henson DB. (1990) Optical methods for measurement of ocular parameters. In: *Vision and Visual Dysfunction Volume 1*. Editor N. Charman, series editor J. Cronly-Dillon, Macmillan, Basingstoke, UK.

Henson DB. (1993) *Visual Fields*, Oxford University Press, Oxford.

North RN, Henson DB (1995) Prism adaptation in heterophoria patients. In *Clinical uses of prism: A spectrum of applications*. Editor SA Cotter, Mosby, St Louis, USA.

Henson DB. (1995) *Optometric Instrumentation*, 2nd Edition. Butterworths, London.

Henson DB. (1999) Instruments: compound microscopes, illumination systems, diagnostic lenses, keratometer and photokeratoscopes. In: *Oxford Textbook of Ophthalmology*. Ed Easty DL & Sparrow JM. Oxford Medical Publications, Oxford.

Henson DB. (2000) *Visual Fields* 2<sup>nd</sup> edition, Oxford University Press, Oxford.

Henson DB, Wall M. (2004) *Perimetry Update 2002/2003*. Proceedings of the XVth International Perimetric Society meeting, Stratford-upon-Avon, England, June 26-29, 2002. Editors: DB Henson, M Wall. Kugler Publications, The Hague.

Henson DB (2006) *Optometry A-Z*, editor Efron N, Butterworth Heinman, Edinburgh.


Henson DB, Harper RH. Diagnosis of the glaucomas 1: visual field changes. Chpt 7 in: *Glaucoma Identification and Co-management*, ed Edgar & Rudnicka, Elsevier.

Harper RH, Henson DB. Diagnosis of the glaucomas 2: intraocular pressure. Ch 8 in: *Glaucoma Identification and Co-management*, ed Edgar & Rudnicka, Elsevier.

Henson DB. (2017) *Perimetry*. In: *Reference Module in Neuroscience and Behavioral Psychology*, Elsevier. ISBN 9780128093245.

# PEER-REVIEWED PUBLICATIONS

The following citation report was downloaded from Scopus 11/11/2016



- 1 Henson DB (1977) A new dark adaptometer. *Am J Optom Physiol Optics*, 54, 641-644.
- 2 Henson DB (1978) Corrective saccades: Effects of altering visual feedback. *Vis Res*, 18, 63-67.
- 3 Henson DB (1979) Investigation of corrective saccadic eye movements for refixation amplitudes of 10 degrees and below. *Vis Res*, 19, 57-61.
- 4 Henson DB, Williams DE (1970) Depth perception in strabismus. *Brit J Ophthalmol*, 63, 349-353.
- 5 Henson DB, Williams DE (1979) Formative and clinical data with a new type of dark adaptometer. *Am J Optom Physiol Optics*, 56, 267-271.
- 6 Henson DB, North RV (1979) Dark adaptation in diabetes mellitus. *Brit J Ophthalmol*, 63, 539-541.
- 7 Millodot M, Henson DB, O'Leary DJ (1979) Measurement of corneal sensitivity and thickness with PMMA and gas permeable contact lenses. *Amer J Optom Physiol Optics*, 56, 628-632.
- 8 Wilson G, O'Leary DJ, Henson DB (1980) Micropachometry: A technique for measuring the thickness of the corneal epithelium. *Invest Ophthalmol*, 19, 414-417.
- 9 Henson DB, North RV (1980) Adaptation to prism induced heterophoria. *Amer J Optom Physiol Optics*, 56, 129-137.
- 10 Henson DB (1980) Visual field instrumentation-a critical review. *Optician*, 180, No 4662 14-17 and No 4664 25-32.
- 11 O'Leary DJ, Wilson G, Henson DB (1981) The effect of anoxia on the human corneal epithelium. *Amer J Optom Physiol Optics*, 58, 472-476.
- 12 North RV, Henson DB (1981) Adaptation to prism induced heterophoria in subjects with abnormal vision or asthenopia. *Amer J Optom Physiol Optics*, 58, 746-752.

- 13 Henson DB, Dharamshi B (1982) Oculomotor adaptation to induced heterophoria and anisometropia. *Invest Ophthalmol*, 22 234-240.
- 14 North RV, Henson DB (1982) Effect of orthoptics upon the ability of patients to adapt to prism induced heterophoria. *Amer J Optom Physiol Optics*, 59, 983-986.
- 15 Henson DB (1982) A proposed modification to the Fincham-Sutcliffe screener. *Optician* No 4744, 10-13.
- 16 Sponsel WE, Williams AH, Dallas NL, Henson DB (1983) A microcomputer-based glaucoma assessment system designed for clinical ophthalmologists. *Res Clin Forums*, 5, 25-35.
- 17 Henson DB, North RV, Dharamshi B (1983) Prism adaptation. *Optician* 184 No 4776, 20-22.
- 18 Henson DB, Dix SM, Osborne AC (1984) Evaluation of the Friedmann Visual Field Analyser Mark II. Part 1. Results from a normal population. *Brit J Ophthalmol*, 68, 458-462.
- 19 Henson DB, Dix SM (1984) Evaluation of the Friedmann Visual Field Analyser Mark II. Part 2. Results from a population with induced visual field defects. *Brit J Ophthalmol*, 68 463-467.
- 20 Sethi B, Henson DB (1984) Adaptive changes with prolonged effect of comitant and incomitant vergence disparities. *Amer J Optom Physiol Optics*, 61, 506-512.
- 21 Henson DB (1984) Teaching modification to the Bausch & Lomb Autoplot. *Ophthalmic Physiol Optics*, 4, 275-277.
- 22 Henson DB (1984) Intra-ocular pressure in glaucoma screening. *Optician* 188 No 4961, 10-13.
- 23 Henson DB, Chauhan BC (1985) Informational content of visual field location in glaucoma. *Doc Ophthalmol*, 59, 341-352.
- 24 Sethi B, Henson DB (1985) Vergence adaptive changes with a prism induced non-comitant disparity. *Amer J Optom Physiol Optics*, 62, 203-206.
- 25 North RV, Henson DB (1985) Adaptation to lens induced heterophorias. *Amer J Optom Physiol Optics*, 62, 774-780.
- 26 Henson DB (1986) Patterns of stimuli. *Optician* 191 No 5045 19-21.
- 27 Henson DB, Hobley AJ (1986) Frequency distribution of early glaucomatous visual field defects. *Amer J Optom Physiol Optics*, 63, 455-461.
- 28 Henson DB, Hobley AJ, Chauhan BC, Sponsel WE, Dallas NL (1986) Importance of visual field score and asymmetry in the detection of glaucoma. *Amer J Optom Physiol Optics*, 63, 614-723.
- 29 Henson DB (1987) Optimised visual field test strategies for the screening and quantification of glaucomatous defects. *Brit J Clin Practice*, 41, 50-55.
- 30 North RV, Sethi B, Henson DB (1987) Effects of prolonged forced vergence upon the adaptation system. *Ophthal Physiol Optics*, 7, 109-114.
- 31 Henson DB, Bryson H (1986) Clinical results with the Henson-Hamblin CFS2000. *Doc Ophthalmol Proc Series*, 49, 233-238.
- 32 Chauhan BC, Henson DB (1986) The distribution of visual field scores in a normal population. *Doc Ophthalmol Proc Series*, 49, 109-115.
- 33 Sponsel WE, Hobley AJ, Henson DB, Chauhan BC, Dallas NL (1986) Quantitative supra-threshold static perimetry; the value of field score and asymmetry analysis in the early detection of chronic open angle glaucoma. *Doc Ophthalmol Proc Series*, 49, 217-229.
- 34 Henson DB, Chauhan BC, Hobley AJ (1988) Screening for glaucomatous visual field defects: the relationship between sensitivity, specificity and the number of test locations. *Ophthal Physiol Optics*, 8, 123-127.
- 35 Henson DB (1988) Visual field screening in glaucoma. *Optician* 196, No 5156, 18-22.
- 36 Chauhan BC, Henson DB, Hobley AJ (1988) Cluster analysis in visual field quantification. *Doc Ophthalmol*, 69, 25-39.
- 37 Chauhan BC, Henson DB (1988) Clinical evaluation of the non-contact tonometer Mark II. *Amer J Optom Physiol Optics*, 65, 751-756.

- 38 Henson DB (1988) The Henson CFS2000. *The Contact Lens J*, 16, 272-274.
- 39 Henson DB (1989) An optimised visual field screening method (summary). *Surv Ophthalmol*, 33, 443-444.
- 40 Henson DB, Anderson R (1989) Thresholds using single and multiple stimulus presentations. In: *Perimetry Update 1988/89*. Ed A Heijl, Kugler/Ghedini, Amsterdam.
- 41 Chauhan BC, Henson DB, Hopley AJ (1989) Cluster analysis in supra-threshold perimetry. In : *Perimetry Update 1988/89*. Ed. A Heijl, Kugler/Ghedini, Amsterdam.
- 42 Henson DB (1989) Visual field screening and the development of a new screening program. *J Amer Optom Ass*, 60, 893-898.
- 43 Henson DB (1991) Oculomotor adaptation to induced vergence demands. In: *Presbyopia Research; from molecular biology to visual adaptation*. pp 139-145. Ed: G Obrecht LW Stark, Plenum Press, New York.
- 44 Henson DB, Bryson H (1991) Is the variability in glaucomatous field loss due to poor fixation control? In: *Perimetry Update 1990/91*, pp 217-220. Ed. RP Mills A Heijl, Kugler Amsterdam.
- 45 Henson DB, Anderson R (1991) Threshold related supra threshold field testing: which is the best technique of establishing the threshold? *Perimetry Update 1990/91* pp367-372. Ed. RP Mills, A Heijl, Kugler, Amsterdam.
- 46 Henson DB (1992) Extraneous factors which affect the visual field. *Optometry Today*, 6/4/92, 20-23.
- 47 North RV, Henson DB (1992) The effect of orthoptic treatment upon the vergence adaptation mechanism. *Optometry Vision Sciences*, 69, 294-299.
- 48 Henson DB (1993) A look at the new Henson perimeter. *Optician*, 206 No 5410, 17-21.
- 49 Henson DB, Morris EJ (1993) Effect of uncorrected refractive errors upon central visual field testing. *Ophthalmic Physiol Optics*, 13, 339-343.
- 50 North, RV, Henson DB, Smith TJ (1993) Influence of proximal, accommodative and disparity stimuli upon the vergence system. *Ophthal Physiol Optics*, 13, 239-243. .
- 51 Spenceley, S, Henson DB, Bull DR (1994) Visual field analysis using artificial neural networks. *Ophthalmic Physiol Optics*, 14, 239-248.
- 52 Henson DB, Evans J, Lane C. (1995) Fixation accuracy of patients with glaucoma during full threshold perimetry. In: *Perimetry Update 1994/95*, pp 249-255. Editors RP Mills & M Wall, Kugler, Amsterdam.
- 53 Henson DB, Spenceley S, Bull DR (1995) Application of artificial neural networks to progressive field loss in glaucoma. In: *Perimetry Update 1994/95*, pp 3-11. Editors RP Mills & M Wall, Kugler, Amsterdam.
- 54 Henson DB (1995) The design and use of a new central field analyser. *Optician*, 209, number 3305, 26-28.
- 55 Henson DB, Earlam RA (1995) Correcting lens system for perimetry. *Ophthalmic Physiol Optics*, 15, 59-62.
- 56 Henson DB, Agnihotri S (1995) Establishing the threshold with single and multiple stimulus supra threshold strategies. *Ophthalmic Physiol. Optics*, 15, 421-423.
- 57 Henson DB, Darling M (1995) Detecting progressive visual field loss. *Ophthalmic Physiol. Optics*, 15, 387-390.
- 58 Henson DB, Evans J, Chauhan BC, Lane C. (1996) Influence of fixation accuracy on threshold variability in patients with open angle glaucoma. *Invest Ophthalmol Vis Sci*, 37, 444-450.
- 59 Spenceley S, Henson DB. (1996) Visual field test simulation and error in threshold estimation. *Brit J Ophthalmol*, 80, 304-308.
- 60 Henson DB, Spenceley S, Bull DR. (1996) Spatial classification of glaucomatous visual field loss. *Brit J Ophthalmol*, 80, 526-531.
- 61 Henson DB, Spenceley SE, Bull DR. (1997) Artificial neural network analysis of noisy visual field data in glaucoma. *Artificial Intelligence in Medicine*, 10, 99-113.
- 62 Henson DB, Wishart PK. (1997) The use of hemifield analysis to detect change in glaucomatous visual field loss. *Invest Ophthalmol Vis Sci*, 38, 2646 meeting abstract.

- 63 Shah S, Bates AC, Chatterjee A, Naroo S, Mathai M, Henson D. (1997) Relationship of corneal thickness and measured intraocular pressure drop. Invest Ophthalmol Vis Sci, 38, 1150 meeting abstract.
- 64 Spry PG, Henson DB, Sparrow JM. (1997) Detection of progressive visual field loss by suprathreshold perimetry. Invest Ophthalmol Vis Sci, 38, 2656 meeting abstract.
- 65 Henson DB, Spenceley SE, Bull DR. (1997) FieldNet: package for the spatial classification of glaucomatous visual field defects. In: Perimetry Update 1996/97, pp 289-298. Editors M Wall & A Heijl, Kugler, Amsterdam.
- 66 Henson DB, Spry PG, Spencer IC, Sparrow JM. (1998) Variability in glaucomatous visual fields: implications for shared care schemes. Ophthal Physiol Opt, 18, 120-125.
- 67 Henson DB, Harper RA. (1998) Do non contact tonometers read high? Ophthal Physiol Opt, 18, 308-310.
- 68 Henson DB. (1998) Variability in the visual field responses of patients with glaucoma. Optometry Today 38:15 July 31<sup>st</sup>, pp40-42.
- 69 Beatty S, Boulton M, Henson D, Koh H-H, Murray IJ. (1999) Macular pigment and age related macular degeneration. Brit J Ophthalmol 1999;83:867-877.
- 70 Henson DB. (1999) Investigative clinical technique. Part four. Examination of the visual field. Optician July 30 1999;18:20-24.
- 71 Henson DB, Artes PH, Chaudry SJ, Chauhan BC. (1999) Suprathreshold perimetry: establishing the test level. In: *Perimetry Update 1998/1999*, pp 243-252. Eds. Wall M, & Wild J. Kugler Publications, Amsterdam.
- 72 Henson DB, Chaudry SJ, Artes PH. (1999) The relationship between sensitivity and variability in normal and glaucomatous visual fields. In: *Perimetry Update 1998/1999*, pp 95-101. Eds. Wall M, & Wild J. Kugler Publications, Amsterdam.
- 73 Rumney NJ, Henson DB. (1999) Letter to the editor. Eye 1999;14:605-606.
- 74 Henson DB. (1999) Letter to the editor. Ophthal Physiol Opt 1999;19:518-519.
- 75 Shah S, Chatterjee A, Mathai M, Kelly SP, Kwartz J, Henson D, McLeod D. (1999) Relationship between corneal thickness and measured intraocular pressure in a general ophthalmology clinic. Ophthalmology 1999;106:2154-2160.
- 76 Henson DB, Artes PH, Chauhan BC. (1999) Diffuse loss of sensitivity in early glaucoma. Invest Ophthalmol Vis Sci 1999;40:3147-3151.
- 77 Henson DB, Chaudry S, Artes PH, Faragher EB, Ansons A. (2000) Response variability in the visual field: comparison of optic neuritis, glaucoma, ocular hypertension and normal eyes. Invest Ophthal Vis Sci 2000;41:417-421.
- 78 Shah S, Spedding C, Bhojwani R, Kwartz J, Henson D, McLeod D. (2000) Assessment of the diurnal variation in central corneal thickness and intraocular pressure for patients with suspect glaucoma. Ophthalmology, 2000;107:1191-1193.
- 79 Harper R, Henson D, Reeves BC. (2000) Appraising evaluations of screening/diagnostic tests: the importance of the study population. Brit J Ophthalmol, 2000;84:1198-1202.
- 80 Beatty S, Koh HH, Henson D, Boulton M. (2000) The role of oxidative stress in the pathogenesis of age-related macular degeneration. Surv Ophthalmol 2000;45:115-134.
- 81 Spry PG, Henson DB, Sparrow JM, North RV. (2000) Quantitative comparison of static perimetric strategies in early glaucoma: test-retest variability. J Glaucoma, 2000; 9:247-53
- 82 Russell WB, Harper R, Reeves BC, Watermann H., Henson D and McLeod D. (2001) Randomised controlled trial of an optometric versus an integrated low vision rehabilitation service for people with age-related macular degeneration: Study design and methodology. Ophthal Physiol Opt 2001;21: 36-44.
- 83 Beatty S, Murray IJ, Henson DB, Carden D, Koh HH, Boulton ME. (2001) Macular pigment and risk for age-related macular degeneration in subjects from a northern European population. Invest Ophthal Vis Sci 2001;42:439-446.

- 84 Artes PH, Henson DB, Chaudry SJ. Pointwise pass/fail criteria in suprathreshold perimetry. In: *Perimetry Update 2000/2001*, pp 283-291. Eds. Wall M, & Mills J. Kugler Publications, The Hague, The Netherlands.
- 85 Calloway SL, Lloyd IC, Henson DB. (2001) A clinical evaluation of random dot stereoacuity cards in infants. *Eye* 2001;15:629-634.
- 86 Artes PH, McLeod D, Henson DB. (2002) Response time as a discriminator between true- and false-positive responses in suprathreshold perimetry. *Invest Ophthalmol Vis Sci* 2002;43:129-132.
- 87 Henson DB, Artes PH. New developments in supra-threshold perimetry. *Ophthalmol Physiol Opt* 2002;22:463-468.
- 88 Henson, DB, Spencer AF, Harper R, Cadman EJ. (2003) Community refinement of glaucoma referrals. *Eye* 2003;17:21-26.
- 89 Wang J, McLeod D, Henson DB, Bishop PN. Age-dependent changes in the basal retinovitreal adhesion. *Invest Ophthalmol Vis Sci* 2003;44:1793-1800.
- 90 Artes PH, Henson DB, Harper R, McLeod D. (2003) Multisampling suprathreshold perimetry: a comparison with conventional suprathreshold and full-threshold strategies by computer simulation. *Invest Ophthalmol Vis Sci* 2003;44:2582-2587.
- 91 Lan YW, Henson DB, Kwartz AJ. The correlation between optic nerve head topographic measurements, peripapillary nerve fiber layer thickness and visual field indices in glaucoma. *Brit J Ophthalmol* 2003;87:1135-1141.
- 92 Bjerre A, Henson DB, Kwartz AJ, Mahmood S, Grigg JR, Spencer AF. Confirmatory results in suspect glaucoma patients with normal visual field and abnormal nerve fibre layer. In: *Perimetry Update 2002/2003*, pp 277-286. Eds. Henson DB & Wall M. Kugler Publications, The Hague.
- 93 Kwartz AJ, Henson DB, Spencer AF, Harper RA, McLeod D. The ability of the Heidelberg Retinal Tomograph and GDx to detect patients with early glaucoma. In: *Perimetry Update 2002/2003*, pp 299-308. Eds. Henson DB & Wall M. Kugler Publications, The Hague.
- 94 Bjerre A, Grigg JR, Parry NRA, Henson DB. Test-retest variability of multifocal visual evoked potential and SITA standard perimetry in glaucoma. *Invest Ophthalmol Vis Sci* 2004 45: 4035-4040.
- 95 Kwartz AJ, Henson DB, Harper RA, Spencer AF, McLeod D. The Effectiveness of the Heidelberg Retina Tomograph and Laser Diagnostic Glaucoma Scanning System in Detecting and Monitoring Glaucoma. *Health Technol Assess*. 2005 Nov; 9(46): 1-148.
- 96 Henson DB, Thampy R. Preventing blindness from glaucoma. *Editorial BMJ* 2005;331:120-121.
- 97 Henson DB, Shambhu S. Relative risk of progressive glaucomatous visual field loss in patients enrolled and not enrolled in a prospective longitudinal study. *Arch Ophthalmol* 2006;124:1405-1408.
- 98 Gray TA, Orton L, Henson D, Harper R, Waterman H. Interventions for improving adherence to ocular hypotensive therapy. (Protocol). *Cochrane Database of Systematic Reviews* 2006, Issue 3. Art. No.:CD006132. DOI: 10.1002/14651858.
- 99 Coops A, Henson DB, Kwartz AJ, Artes PH. Automated analysis of Heidelberg Retina Tomograph optic disc images by Glaucoma Probability Score. *Invest Ophthalmol Vis Sci* 2006;47:5348-5355. ([1c7353](#))
- 100 Miranda M, Henson DB. Perimetric Sensitivity and Response Variability in Glaucoma with Single Stimulus Automated Perimetry and Multiple Stimulus Perimetry with Verbal Feedback. *Acta Ophthalmol* 2008;86:202-206. ([133024](#))
- 101 Sukumar S, Spencer AF2, Fenerty C, Harper R, Henson D. The influence of socioeconomic and clinical factors upon the presenting visual field status of patients with glaucoma. *Eye* 2009;23:1038-1044. ([133022](#))
- 102 Muqit MMK, Gray JCB, Marcellino GR, Henson DB, Young LB, Charles SJ, Turner GS, Stanga PE. Fundus Autofluorescence and Fourier-Domain Optical Coherence

- Tomography Imaging of 10 and 20 millisecond Pascal® Retinal Photocoagulation Treatment. *Brit J Ophthalmol* 2009;93:518-525. (126347)
- 103 Gray TA, Orton LC, Henson D, Harper R, Waterman H. Interventions for improving adherence to ocular hypotensive therapy. *Cochrane Database of Systematic Reviews* 2009, Issue 2. Art. No.: CD006132. DOI:10.1002/14651858.CD006132.pub2. (1d28400)
- 104 Denniss J, Henson DB. The structure function relationship in glaucoma: Implications for disease detection. *Optometry in Practice* 2009;10:95-104
- 105 Wolfsson J, Pardham S, Wess T, Hull C, Barrett B, Tomplison A, Henson D, Anderson R. Optometry excels in research. *Optician* 2009; 19Feb (<http://www.opticianonline.net/articles./2009/02/19/22823/optometry+excels+in+research.html?key=RAE>)
- 106 Ajit RR, Fenerty CH, Henson DB. Patterns and rate of adherence to glaucoma therapy using an electronic dosing aid. *Eye* 2010;24:1338-1343. See also letter <http://www.nature.com/doi/10.1038/eye.2011.113> (126346)
- 107 Henson DB, Emuh T. Monitoring Vigilance During Perimetry with Pupillography. *Investigative Ophthalmology & Vis Sci* 2010;51:3540-3543. (126342)
- 108 Muqit MMK, Henson DB., Young LB, Patton N, Charles SJ, Turner GS, Marcellino GR, Stanga PE. Single-session versus Multiple-session Pattern Scanning Laser (Pascal®) Panretinal Photocoagulation in Proliferative Diabetic Retinopathy: The Manchester Pascal® Study. *Arch Ophthalmol* 2010;128:525-533. (84420)
- 109 Muqit MMK, Gray JCB, Marcellino GR, Henson DB, Young LB, , Charles, S.J., (...), Stanga PE. In vivo laser-tissue interactions and healing responses from 20- vs 100-millisecond pulse pascal photocoagulation burns. *Arch Ophthalmol* 2010;128:448-455. (84422)
- 110 Muqit MMK, Gray JCB, Marcellino GR, Henson DB, Young LB, Patton N, Charles SJ, (...), Stanga PE. Barely Visible 10-Millisecond Pascal Laser Photocoagulation for Diabetic Macular Edema: Observations of Clinical Effect and Burn Localization. *American Journal of Ophthalmology* 2010;149:979-986.e2 (84424)
- 111 Muqit MMK, Marcellino GR, Gray JCB, McLauchlan R, Henson DB., Young LB, Patton N, Charles SJ, Turner GS, Stanga PE. Pain Responses of Pascal® 20 ms Multi-spot and 100 ms Single-spot Panretinal Photocoagulation: MANchester PAscal® Study, MAPASS report 2. *Br J Ophthalmol.* 2010;94:1493-1498. (103789)
- 112 Muqit, M.M.K., Henson, D.B., Young, L.B., Patton, N., Charles, S.J., Turner, G.S., Stanga, P.E., Marcellino, G.R. Laser Tissue Interactions. *Ophthalmology* 2010;117:2039-2039. (126344)
- 113 Nourrit V, Denniss J, Muqit MMK, Schiessl I, Fenerty C, Stanga PE, Henson DB. High resolution hyperspectral imaging of the retina with a modified fundus camera. *Journal Francais d'Ophthalmologie* 2010;33:686-692. (132899)
- 114 Gray TA, Fenerty C, Harper R, Lee A, Spencer AF, Campbell M, Henson DB, Waterman H. Preliminary survey of educational support for patients prescribed ocular hypotensive therapy, *Eye* 2010;24:1777-1786. (126349)
- 115 Sample PA, Dannheim F, Artes PH, Henson DB, Johnson CA, Ng M, Schiefer U, Wall M. Imaging and Perimetry Society (IPS) Standards and Guidelines. *Optometry & Vision Science* 2011;88:4-7. (103803)
- 116 Denniss J, Echendu D, Henson DB, Artes PH. Discus: Investigating Subjective Judgment of Optic Disc Damage. *Optometry & Vision Sciences* 2011;88:E93-E101. (175352)
- 117 Muqit MMK, Wakely L, Stanga PE, Henson DB, Ghanchi FD. Effects of Conventional Argon Panretinal Laser Photocoagulation on Retinal Nerve Fibre Layer and Driving Visual Fields in Diabetic Retinopathy. *Eye* 2010;24:1136-1142. (248851)
- 118 Muqit MMK, Denniss J, Nourrit V, Marcellino GR, Henson DB, Schiessl I, Stanga PE. Spatial and Spectral Imaging of Retinal Laser Photocoagulation Burns. *Investigative Ophthalmology & Vis Sci* 2011;52:994-1022 (126339)



- 119 Shao X, Fenerty C, Henson DB. The validity of reliability measures in threshold perimetry. *J Clin Exp Ophthalmol* 2011;2:1 <http://dx.doi.org/10.4172/2155-9570.1000117>. (132947)
- 120 Wang Y, Toor SS, Guatam R, Henson DB. Blink frequency and duration during perimetry and their relationship to test-retest variability. *Invest Ophthalmol Vis Sci* 2011;52:4546-4550 (132933)
- 121 Denniss J, Schiessl I, Nourrit V, Fenerty CH, Gautam R, Henson DB. Relationship between visual field sensitivity and spectral absorption properties of the neuroretinal rim in glaucoma by multispectral imaging. *Invest Ophthalmol Vis Sci* 2011;52:8732-8738 (132948)
- 122 Aslam TM, Rahman W, Henson D, Khaw PT. A novel paediatric game-based visual-fields assessor. *Brit J Ophthalmol* 2011;95:921-924. (175341)
- 123 [Muqit MMK](#), [Marcellino GR](#), [Henson DB](#), [Young LB](#), [Turner GS](#), [Stanga PE](#). Pascal panretinal laser ablation and regression analysis in proliferative diabetic retinopathy: Manchester Pascal Study Report 4. *Eye* 2011;25:1447-1456. (175350)
- 124 [Muqit MMK](#), [Marcellino GR](#), [Henson DB](#), Fenerty CH, [Stanga PE](#). Randomised clinical trial to evaluate the effects of Pascal panretinal photocoagulation on macular nerve fiber layer. Manchester Pascal Study Report 3. *Retina* 2011;31:1699-1707. (175351)
- 125 Gray TA, Fenerty C, Harper R, Spencer AF, Campbell M, Henson DB, Waterman H. Individualised patient care as an adjunct to standard care for promoting adherence to ocular hypotensive therapy: an exploratory randomised controlled trial. *Eye* 2012;26:407-417. (132953)
- 126 [Muqit MMK](#), [Marcellino GR](#), [Henson DB](#), [Young LB](#), [Patton N](#), [Charles SJ](#), [Turner GS](#), [Stanga PE](#). Optos-guided pattern scan laser (Pascal)-targeted retinal photocoagulation in prolific diabetic retinopathy. *Acta Ophthalmologica* 2013;91:251-258. (248850)
- 127 [Muqit, M.M.K.](#), [Young, L.B.](#), [McKenzie, R.](#), [John, B.](#), [Marcellino, G.R.](#), [Henson, D.B.](#), [Turner, G.S.](#), [Stanga, P.E.](#) [Pilot randomised clinical trial of Pascal TargETEd Retinal versus variable fluence PANretinal 20 ms laser in diabetic retinopathy: PETER PAN study.](#) *Brit J Ophthalmol* 2013;97:220-227. (248847)
- 128 Wang Y, Henson DB. Diagnostic Performance of Visual Field Test Using Subsets of the 24-2 Test Pattern for Early Glaucomatous Field Loss. *Invest. Ophthalmol. Vis. Sci.* 2013;54 756-761 (186907)
- 129 Ratnarajan G, Newsom W, Vernon SA, Fenerty C, Henson D, Spencer F, Wang Y, Harper R, McNaught A, Collins L, Parker M, Lawrenson J, Hudson R, Khaw PT, Wormald R, Garway-Heath D, Bourne R. The effectiveness of schemes that refine referrals between primary and secondary care—the UK experience with glaucoma referrals: the Health Innovation & Education Cluster (HIEC) Glaucoma Pathways Project. *BMJ Open* 2013;3:e002715 doi:10.1136/bmjopen-2013-002715 (248841)
- 130 Richardson C, Brunton L, Ollevent N, Henson DB, Pilling M, Mottershead J, Fenerty CH, Spencer AF, Waterman H. A study to assess the feasibility of undertaking a RCT of adherence with eye drops in glaucoma patients. *Patient Preference and Adherence* 2013;7:1025-1039. (248839)
- 131 Balaskas K, Nourrit V, Dinsdale M, Henson DB, Aslam T. Differences in spectral absorption properties between active neovascular macular degeneration and mild age related maculopathy. *Brit J Ophthalmol* 2013;97:558-560. (248838)
- 132 Waterman H, Evans JR, Gray TA, Henson DB, Harper R. Interventions for improving adherence to ocular hypotensive therapy. *The Cochrane database of systemic reviews* 2013;4:CD006132. (248837)
- 133 Stanga PE, Sala\_Puigdollers A, Caputo S, ... Henson DB, McLeod D. In vivo imaging of cortical vitreous using 1050-nm swept source deep range imaging optical coherence tomography. *Am J Ophthalmol* 2014;157:397-404. (248834)



- 134 Wang Y, Muqit MMK, Stanga PE, Young LB, Henson DB. Spatial changes in the central field in diabetic retinopathy after laser. *Optometry & Vision Science* 2014;91:111-120. ([248829](#))
- 135 Ghazali N, Aslam T, Henson DB. New superior-inferior visual field asymmetry indices for detecting POAG and their agreement with the glaucoma hemifield test. *Eye* 2015;29:1375-1382. ([284372](#))
- 136 Waterman H, Ballinger c, Brundle C, Chastin S, Gage H, Harper R, Henson D, Laventure B, McEvoy L, Pilling M, Ollevent N, Skelton DA, Stanford P, Todd C. A feasibility study to prevent falls in older people who are sight impaired: the VIP2UK randomised controlled trial. *Trials* 2016;17:464.
- 137 Miranda MA, Henson DB, Fenerty C, Biswas S, Aslam T. Development of a paediatric visual field test. *TVST* (in press).
- 138 Wang Y, Ali Z, Subramani S, Biswas S, Fenerty C, Henson DB, Aslam T. Use of novel game-based algorithms to measure threshold size of visual field stimuli in normal children. *Ophthalmology & Therapy* (in press).
- 139 Tsamis E, Spencer FA, Fenerty CH, Anderson AJ, Henson DB. The relationship between rates of visual field loss and the stage of loss in glaucoma patients. *BMJ Open Ophthalmology* (submitted Sept 2016)
- 140 Tsamis E, Wang Y, Henson DB. A novel technique for evaluating the performance of visual field tests via simulation of visual field loss: a methodology report. *TVST* (submitted Nov 2016)